

## Danner, Ward

---

**From:** Carmen Santos <Santos.Carmen@epamail.epa.gov>  
**Sent:** Wednesday, March 27, 2013 2:08 PM  
**To:** Santos, Carmen  
**Subject:** Fw: Aspire Oakland - DRAFT Addendum - PCB Cleanup Completion Report  
**Attachments:** Figures 1-7.pdf; Attachment 4 PCB summary.pdf; DRAFT rpt-TSCA Implementation-June 2012-EM009155.doc

Carmen D. Santos  
PCB Coordinator  
RCRA Corrective Action Office (WST-5)  
Waste Management Division  
USEPA Region 9  
415.972.3360  
[santos.carmen@epa.gov](mailto:santos.carmen@epa.gov)

*"Think left and think right and think low and think high. Oh, the things you can think up if only you try!" Dr. Seuss*

\*\*\*\*\*

[This e-mail message, including any attachments, may contain non-public, privileged and/or confidential information solely intended to be conveyed to the designated recipient(s). If you receive this e-mail message and are not an intended recipient, please delete this e-mail message and its attachments immediately. The unauthorized use, dissemination, distribution, or reproduction of this e-mail message and its attachments is strictly prohibited by law.]

 **Before printing this e-mail think if it is necessary. Think Green!**

----- Forwarded by Carmen Santos/R9/USEPA/US on 03/27/2013 02:07 PM -----

From: "Goloubow, Ron"  
To: Carmen Santos/R9/USEPA/US@EPA,  
Cc: "Kahlmus D. Eatman (kahlmus@pacificcharter.org)" , "Mala Batra (Mala.Batra@aspirepublicschools.org)" , "Hale, Alice"  
Date: 06/29/2012 01:24 PM  
Subject: Aspire Oakland - DRAFT Addendum - PCB Cleanup Completion Report

---

The DRAFT addendum to the PCB Cleanup Completion Report for the College for Certain (Aspire) project located at 1009 66th Avenue in Oakland, California is attached.

Specifically the text, figures, and the summary table for the PCB-affected soil (which is a portion of Attachment 4) are included.

The following are being sent to you via regular mail:

Paper copies of the Figures

a CD with the following attachments:

Attachment 1 - Laboratory Analytical Data for Soil Samples

Attachment 2 - Revised Human Health Risk Evaluation

Attachment 3 - Laboratory Analytical Data Report for Imported Soils

Attachment 4 - Waste Disposal Information the attachments, Manifests, laboratory reports

Following the EPA's review of the subject report, we plan on finalizing the report, along with the draft "Operation and Maintenance Plan for Cap Mitigation Measures" and Deed notice for the parcel previously transmitted for review.

Please contact me if you have any questions or need any more information.

Thanks Ron.

---

NOTICE: This e-mail and any files transmitted with it are the property of ARCADIS U.S., Inc. and its affiliates. All rights, including without limitation copyright, are reserved. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If the reader of this e-mail is not the intended recipient, you are hereby notified that you have received this e-mail in error and that any review, distribution or copying of this e-mail or any files transmitted with it is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete the original message and any files transmitted. The unauthorized use of this e-mail or any files transmitted with it is prohibited and disclaimed by ARCADIS U.S., Inc. and its affiliates. Nothing herein is intended to constitute the offering or performance of services where otherwise restricted by law. *(See attached file: DRAFT rpt-TSCA Implementation-June 2012-EM009155.doc)(See attached file: Figures 1-7.pdf)(See attached file: Attachment 4 PCB summary.pdf)*